

Department of Computer Science and Engineering

Computers and Mathematics Sciences

Data Information

Human and Brain Informatics

Media Informatics and Robotics



Systems Science Laboratory

| Staff | Professor Assistant Professor Koji HARADA (E-mail : ishida@cs.tut.ac.jp) (E-mail : harada@cs.tut.ac.jp) |
|----------------|---|
| Laboratory URL | https://www.sys.cs.tut.ac.jp/en/ |
| Key words | Immunity-based systems, self-repair networks, resilient server, matching automaton, diagrams, adaptation, sensor system, complex systems, immune systems, agent, game theory, inference/memory, consciousness model |


We can learn various system operational principles and design principles by observing life, nature and social phenomena from the viewpoint of information systems. We call it "wisdom of life/nature/society." By modeling, simulating, analyzing and generalizing it, we research new information systems and information processing principles.

Theme 1 (Basic research) Profile-based adaptive sensing

model by reverse-engineering patterns of complex systems.

When estimating, detecting or predicting events in a dynamic environment, those sensor information and relations between the sensor information become important. Using them as profiles in information processing enables adaptive sensing. We learn from the "wisdom of life" such as immune systems to design and build a new system.

Theme 2 ▶ (Basic research) Complex systems and game-theoretic approach Interesting phenomena can be observed at the system level in complex systems, where elements behave in egocentric ways. We model an autonomous decentralized information system using "the spatial prisoner's dilemma" and "the stable marriage problem." We identify strategies and rules that can generate the



Self-Recognition Networks By Sensors

Membrane Protecting Cooperators from Defectors

Theme 3 > (Application development) Disaster mitigation simulator and disaster-resistant system design

We will develop disaster mitigation simulator and design disasterresistant ICT using knowledge of self-aware computers and autonomous decentralized systems.



Evacuation Planning By Multiagents

Theme 4 \blacktriangleright (Application development) Diagram inference and diagram web museum

We will deepen and apply the way of viewing using diagrams (graphs), which is different from the way of viewing with mathematical expressions. We will utilize this view and improve designing ability.



Hexlet Theorem By AR-Sangaku

Computer and Mathematics Sciences


| Discrete Optimization Laboratory | |
|----------------------------------|--|
| Staff | Professor Assistant Professor Kei KIMURA (E-mail : fujito@cs.tut.ac.jp) (E-mail : kimura@cs.tut.ac.jp) |
| Laboratory URL | http://www.algo.cs.tut.ac.jp/ |
| Key words | algorithm, combinatorial optimization, mathematical programming, constraint satisfaction problem |

A wide range of computational tasks are in great demand in modern society and industries. Dealing with them without algorithmic ingenuity, however, often causes an exponential explosion in processing time. or otherwise, results in poor outputs. It is thus said that most crucial and essential portion of software development in such cases consists of algorithm design. Therefore, we aim to develop highly efficient and accurate algorithms for various problems by making use of discrete structure analysis, algorithm theory, computational complexity theory, mathematical programming, among others.

Theme 1 Design and development of new algorithms and models

Mainly focusing on important combinatorial optimization problems (and typically abstracting them into problems of graphs, networks, and sets) appearing in the areas of production/delivery planning, scheduling, VLSI design, optimal routing, and others, we devise and design new algorithms and mathematical models for them. Various types of algorithms are of our interest such as approximation, distributed/parallel, online/streaming, etc.

In order to verify the validity and effectiveness of the algorithms and models thus designed, their performance will be evaluated by theoretical analysis and/or computational experiments.



An example run of the algorithm for Tree Cover problem

Theme 2 New ways of designing optimization algorithms

Studied here are principles and mechanism of optimization that can serve as driving forces for algorithms solving combinatorial optimization problems. Compared to Theme 1, such study requires consideration from a more meta viewpoint. Examples under this theme include design techniques based on the duality theorem and complementary slackness conditions from the area of linear programming.

Theme 3 Study on the constraint satisfaction problem (CSP)

CSP is recognized as one of the most fundamental problems in computer science with applications in diverse fields such as artificial intelligence, operations research, and otheres. It is known that CSP has the dichotomy property when the domain size is bounded by three, and our aim is to settle a long-standing conjecture that the dichotomy property holds for any finite domain.

Theme 4 > Online/Stream optimization

Online algorithms process input data given in sequence along the time-series (implying that input coming in the future is unpredictable). It has applications in a wide range of areas such as power-saving control, logistics, and financial engineering. In the large-scale data processing of present days, it is also crucial to to process input sequence data without (or with strictly restricted) need for data storage, using streaming algorithms.

Department or comp Science and Enginee

Computer

Computers and Education Laboratory

| Staff | Associate Professor Kazuhisa KAWAI (E-mail : kawai@tut.jp) |
|----------------|---|
| Laboratory URL | http://www.ita.cs.tut.ac.jp/ |
| Key words | Information Education, Computers and Education, E-Learning, HCI, Language Education |

In the Course of Study for high school that went into effect in 2003, the new subject "Information" was added as a compulsory subject. It made all high school students receive information education. In addition, the "Information and Computer" unit of technology and home economics in junior high school became compulsory. Elementary schools have classes and information education using computers at "Period for Integrated Studies" and classes for other subjects. The importance of information education is commonly recognized in school education at every level. Educational efforts to develop the ability to utilize information, which is the target of information education, have been made beyond the framework of subjects. I am among those who are making such effort. I work with teachers of local elementary, junior high and high schools and conduct practical research on how the new way of information education should be. Main research themes include the following.

Theme 1 Information education at primary and secondary education

The figure 1 shows the book educational support system for the school library. Part of this system has been introduced in all elementary and junior high schools in Toyohashi city.

Theme 2 Computer use in language education

Theme 3 Science cafe for lifelong education in community

I believe the most important thing for students is to have them decide the theme for their graduate research and master's thesis themselves when I provide students guidance. Choosing a research theme is the hardest yet most interesting thing. It is the best part of the research. As an educator, I bear in mind not make the idiotic mistake of assigning research themes to students.



Figure 1: Book Educational Support System



Figure 2: EST Vocabulary Learning Application

Quantum and Computational Biology Laboratory

| Staff | Associate professor Noriyuki KURITA (E-mail : kurita@cs.tut.ac.jp) |
|----------------|---|
| Laboratory URL | http://www.klab.cs.tut.ac.jp |
| Key words | In silico drug design, medication for Alzheimer's disease, tuberculosis drug, cancer metastasis inhibitor, transcription of genetic information, molecular simulation, quantum chemistry, molecular orbital calculation, DNA, protein |

We have been studying on the electronic properties of biological macromolecules such as DNA, proteins and ligand using ab initio molecular simulations, in order to propose novel potent medicines for treating globally feared diseases such as Alzheimer's disease, tuberculosis and cancer. In addition, to elucidate the transcription mechanism of genetic information from DNA to RNA, which is controlled efficiently by some transcriptional regulation proteins, we investigate the specific interactions between DNA and these proteins by the ab initio molecular simulations. Some of the key research themes of our laboratory are shown below.

Theme 1 Elucidation of aggregation mechanism of amyloid-beta (Aβ) proteins

Onset of Alzheimer's disease is shown to be deeply associated with the formation of amyloid plaque in a patient's brain. However, the formation mechanism of the plaque from $A\beta$ proteins is not clarified yet. We are in an attempt to elucidate the mechanism, in order to propose novel compounds for preventing the formation of the plaque. These compounds might be potent inhibitors against Alzheimer's disease.

Theme 2 > Proposal for potent medicines against Alzheimer's disease

We investigated the specific interactions between A β protein and many kinds of compounds and proposed novel inhibitors against the aggregation of A β s. These inhibitors are the derivatives of curcumin, which is included in natural product turmeric. Our collaborators in Ukraine are attempting to synthesize these derivatives, and they are expected to be potent medicines for Alzheimer's diseases.

Theme 3 > Proposal for potent medicines against tuberculosis

Tuberculosis (TB) is one of the most widespread infection diseases in the world, and many types of anti-TB drugs were developed. However, since Mycobacterium tuberculosis (Mtb) can easily get drug resistance, it is necessary to develop novel effective anti-TB drugs targeting the most conservative proteins. We employed the filamental temperature-sensitive Z (FtsZ) as the target protein and investigated the binding properties between FtsZ and many types of compounds using ab initio molecular simulations. Based on the results simulated, we proposed some novel compound inhibiting the polymerization of FtsZ proteins, which causes the cell division of Mtb.

Theme 4 Proposal for potent inhibitors against cancer metastasis

To develop more potent inhibitors against the cancer metastasis, we investigated the binding properties of amino acid peptides with a protein, which is considered to be a trigger for the onset of cancer metastasis. Based on the results simulated, some novel peptides having large binding affinity to the protein were proposed as potent inhibitors. Our proposed new peptides are expected to be new inhibitors against cancer metastasis.

Theme 5 Elucidation of the transcription mechanism controlled by regulatory proteins

The transcription mechanism of gene information from DNA to RNA is efficiently controlled by various regulatory proteins as well as ligand molecules. The catabolite activator protein (CAP) is one of the regulatory proteins, and the complex of CAP with cyclic AMP (cAMP) plays an efficient role in the transcription mechanism. We investigated the effect of cAMP-binding to CAP on the interactions between DNA and CAP using ab initio molecular simulations, in order to elucidate the transcription mechanism controlled by CAP and CAMP. The results will be helpful for proposing novel compounds controlling the transcription mechanism.



Structure of our proposed new medicine against cancer metastasis obtained by our simulation



Structure of the complex with DNA, CAP and cAMP obtained by our simulation



Structure of our proposed compound strongly bound to $A\beta$ monomer

Computational Chemistry Laboratory

| Staff | Associate Professor Hitoshi GOTO (E-mail : gotoh@tut.jp) |
|----------------|--|
| Laboratory URL | http://www.cch.cs.tut.ac.jp/ |
| Key words | High-Performance Computing, Deep Learning, Crystal Structure Prediction, Docking Simulation, Conformation Search, Molecular Design, Material Informatics |

My laboratory develops new methodologies and software applications on computational chemistry and chemoinformatics using the latest computational science and information technologies, such as high-performance parallel distributed programing, data assimilation using computer simulation and database, and machine learning with deep neural net technology. The main research themes are introduced as follows.

Theme 1 Exploring Molecular Conformation and Crystal Structure Polymorphism


Many of drug molecules and organic molecular materials are used as solid crystals, and their medicinal effects and material properties are determined by their stable crystal structure. However, in these molecular crystals, it is possible that a molecule in crystal may form different 3D structures (conformations) or different crystal structures (polymorphisms). Therefore, prediction of some stable crystal structures in advance is important information for designing pharmaceutical molecules and organic materials. Our computational chemistry application CONFLEX that can be exploring molecular conformations and crystal structure polymorphisms, is developed as a supporting tool for advanced molecular design.



Comparison with the experimental crystal structure with predicted structures of (a) DFT-D and (b) CONFLEX methods.

Theme 2 Protein-Ligand Docking Simulation by using Coarse-Grained Potentials

A drug molecule binds to a target protein and forms a complex structure. As a result, information transmission in vivo is activated or inhibited, and the function expression of the protein is controlled. In order to elucidate essential biomolecular behaviors and biological phenomena in the fields of drug discovery, we are developing a new docking simulation method so that can efficiently search some plausible ligand binding sites by a coarse-grinded model and rapidly produce highly accurate all-atom model by data assimilation with conformation database.



Preparation of our coarse-grained docking simulation

Theme 3 Molecular Activity and Material Property Prediction by using Deep Neural Nets

Machine learning technology using deep neural nets has made amazing results in the field of speech recognition and image analysis. Furthermore, it is expected that paradigm shift will occur in structural activity correlation of drug molecules and prediction of physical-chemical properties for electronic device materials. Our laboratory formulates new molecular descriptors in terms of structures, energies, and electronic states based on computational chemistry simulation, and develops a next generation system on molecular activity and property prediction by using some deep learning platforms.




Illustration of a deep neural networks with three hidden layers

epartment of Mechanic Engineering

Department of Computer Science and Engineering

Computer and Mathematics Sciences

| | Parallel Processing Laboratory | |
|---------------|---|--|
| Staff | Associate Professor Ryotaro KOBAYASHI (E-mail : kobayashi@cs.tut.ac.jp) | |
| Laboratory UF | L http://www.ppl.cs.tut.ac.jp | |
| Key words | Parallel processing, microprocessor, network, OS, virtual machine | |

The computer systems play the important role as an infrastructure supporting the highly computerized society. Microprocessors function as brains of such computer systems. As the computerized society advances, higher performance is required for the microprocessors. It is important to develop microprocessors that extract instruction level parallelism or thread level parallelism from programs to attain higher performance. Moreover, as the current mobile computing spreads, power reduction and reliability improvement as well as speedup are necessary for microprocessors. Therefore, it is important issue to largely reduce power consumption or improve reliability with little performance degradation. The research interests include the study on performance improvement, power reduction, and reliability improvement for microprocessors based on parallel processing techniques, and the study on network, OS, and virtual machine. The Parallel Processing Laboratory conducts research and development of next-generation microprocessors so as to solve the above various issues.

Theme 1 Research on many-core system

As device technology advances, the power consumption has been increasing largely. To suppress the excessive power consumption and increase the throughput, recent multiprocessor that is mainly used for high performance computer system has multiple cores on a chip. Many-core processor that facilitates some hundreds cores will be realized in the near future. Our research target is realizing many-core processor with 1000 cores. In our target architecture, many-core processor dynamically changes its configuration by changing its role, cooperating, and duplicating core. We are investigating new hardware mechanisms (core, on-chip network, and so on) and new software (OS, compiler, firmware, and so on).



PC Cluster for Evaluation of Studies

Theme 2 Research on network/OS

Various services provided on the Internet such as web, email and search have become important infrastructure technologies that support information society. However, there are various attacks that have negative influence on the above services. These malicious attacks can be mainly classified into Advanced Persistent Attacks and Denial of Service Attacks. We mainly focus on Denial of Service Attacks that floods the network resources and server resources via the Internet by sending a large amount of packets. We will develop technology that will enable users to utilize services on the Internet with peace of mind by properly controlling virtual machines based on usage of network and OS.

Theme 3 ▶ Research on built-in microprocessor

We focus on improving processor performance or reducing power consumption of processor in order to increase battery life or reduce the size of mobile devices, such as smart phone, by utilizing the characteristics of the programs. We study two types of architectures. First, the data that 32-bit CPU processes tends to be less than 16 bits. We study some techniques that use these characteristics to partition data to different bit width structures, which result in power reduction or speedups. Second, the degree of criticalness changes from instruction to instruction. We study some techniques that use these characteristics to execute critical instructions earlier than the others resulting in efficient instruction scheduling that can improve processor performance.

| Staff | Professor Masaki AONO (E-mail : aono@tut.jp) Assistant Professor Atsushi TATSUMA (E-mail : tatsuma@cs.tut.ac.jp) |
|----------------|--|
| Laboratory URL | http://www.kde.cs.tut.ac.jp |
| Key words | Data science, multimedia information retrieval, text mining, data mining, feature extraction, 3D shape retrieval, image captioning, deep learning, time series data mining |


We have conducted research on massive multimedia datasets including text, 3D shape modes, and images, and extract valuable pieces of information. Main focus of our research has been on feature extraction, information retrieval, clustering, classification, segmentation, and automatic annotation or tagging to multimedia.

Theme 1 ▶ Research on Multimedia Retrieval, Classification, and Automatic Annotation using Finegrained Feature Extraction with Deep Learning

In this research, we use three-dimensional shape models, images, videos, and annotated texts, in order to investigate fine-grained accurate search, including partial-matching search, and classification. The basic idea is to extract salient features that represent an object robustly and invariantly under translation, rotation, scaling, and other similar operations. We boast of the world-top-level search performance for 3D shape models, proven by SHREC international contests. We also boast of the world-top-level classification for plane identification among massive datasets, proven by PlantCLEF international contest. To keep our research up to the state-of-the-art so, we are currently embarking on various applications on deep learning.

Theme 2 ▶ Web Mining, Data Mining, Text Mining, and More

Web is considered a rich resource including a billion of stones and a handful of gems. Web mining is an emerging research field, attempting to find "gems" on the Web. Our research on Web mining includes Web content mining (such as SNS data mining), Web spam detection, Web link analysis, and Web usability monitoring. In addition we are conducting research on blog/microblog analysis, sentiment analysis, personalized information extraction, and prediction of trends not easily observed by ordinary users' perspectives. We have also started research on intent mining and diversification, focusing on "what's new" (novelty) to disambiguate multiply interpreted queries.



Caption: KDE Laboratory Research Outlook

Data Informatics

| Applied Mathematics and Network Laboratory | |
|--|---|
| Staff | Professor Kyoji UMEMURA (E-mail : umemura@tut.jp) Assistant Professor Mitsuo YOSHIDA (E-mail : yoshida@cs.tut.ac.jp) |
| Laboratory URL | http://www.ss.cs.tut.ac.jp/ |
| Key words | Applied Statistics, Information Retrieval, Natural Language Processing, Data Mining, Computational Social Science, Social Media, E-learning |

We are applying statistical methodology to make the best use of computer networks and the data in the works as follows.

Theme 1 Handling Large Scale Data from Social Media

We have been operating data collecting systems, especially from social media (Twitter), where various information is posted. As the result, we can handle almost all tweets with location information and Japanese/English retweets, and large scale social graphs. We are conducting researches to make the most of these data. One example of these researches is estimating the location of tweets and users without location information. Moreover, we are analyzing the differences between the real world and the internet world regarding human/user relations for computational social science.

Theme 2 Natural Language Processing for Information Retrieval

It is crucial for information retrieval systems to decide whether each term is important for retrieval. We have developed a method to extract important terms from documents using statistical analysis. Unlike commonly used approaches, this method does not require dictionaries, but collections of data. This method is the result of joint research with a company, and used in commercial products. You can get more details on the following page.

http://www.sei-info.co.jp/quicksolution/technology/birth-story2.html

Theme 3 E-learning System in Network Era

We believe that computer technology can provide more effective contents for E-learning than simple video. One of our results is an image processing method to remove the image of the lecturer and to provide a clear image of the black board. This kind of content makes note taking easier because the lecturer tends to cover the characters on the white board.



Distribution of tweets in the world

Lecture video image by our approach.

Language Data Mining & Algorithm Laboratory

| Staff | Professor Shigeru MASUYAMA (E-mail : masuyama@tut.jp) Assitant Professor Akio KOBAYASHI |
|----------------|---|
| Laboratory URL | http://www.la.cs.tut.ac.jp |
| Key words | natural language processing, intellectual activity support, automatic text summarization, automated generation of presentation slides from academic papers, text-mining, information extraction, extraction of semantic expression, cause expression, cause-and-effect relationship |

Our laboratory studies computer science from foundations to applications to open up ubiquitus society in this Web era.

Theme 1 Support for intellectual activities that utilize natural language processing technology

Research of automatic text summarization, information retrieval, question-answering sytem are conducted. These are basic technologies to utilize large volumes of machine-readable documents on the Web. In particular, we achieved systematic results of automatic summarization within a statement of deleting adnominal clauses etc., with statistical methods using a dependency structure.



Theme 2 Text-mining and information extraction

It is essential to research semantic processing in order to realize a "smart" computer. As the foundation to achieve it, we are studying a unified method for extracting events and the cause expression from a set of documents, as well as applying the method to observing the cause of traffic accidents, performance factors of companies, patent mining etc. and extracting cause-and-effect relationships from texts.




As research of algorithm designs to tackle issues newly emerging in the advanced information society of the 21st century, we are studying graph network algorithms associated with the Internet, mobile communications, etc.. That is, network reliability and fault tolerance on the distributed system and operation control algorithms of AGVs (automated guided vehicles) are studied. These are useful to establish infrastructure of coming ubiquitous society. In addition to the above, we have started studying scheduling related to railways and sports such as baseball.

Fig.1 Question-answering system using Databse of question-answer pairs



Fig.2 Unified method for text-mining





| Natural Language Processing Laboratory | |
|--|--|
| Staff | Associate Professor Tomoyosi AKIBA (E-mail : akiba@cs.tut.ac.jp) |
| Laboratory URL | http://www.nlp.cs.tut.ac.jp |
| Key words | Natural language processing, spoken language processing, information retrieval, information access, machine translation, speech interface, spoken document |

Natural language is indispensable for inter-human communication. Likewise, if an artifact has a good command of language, that would enhance human-machine communication. Our research group is developing computer programs that can deal with natural language for helping various human activities, including information retrieval, machine translation, and speech interface. We are also studying intersectional area of the above-mentioned research topics, including spoken document retrieval, crosslanguage information retrieval, and spoken language translation.

Theme 1 Information retrieval

Development of intellectual activity support technology to discover the necessary information from large-scale data. In particular, we are studying technologies that make use of spoken language for information retrieval. Firstly, we are studying spoken document retrieval, in which the target documents are not textual but speech data. Secondly, we are studying speech-driven retrieval, in which user's information needs are expressed by using spontaneous speech. For these tasks, we have been organizing the evaluation task called SpokenDoc and SpokenQuery&Doc at the NTCIR project (http://research.nii.ac.jp/ntcir/index-en.html) to promote the research activities on those research topics.


Theme 2 Machine translation

Development of technology that supports communication between cultural regions that use different languages. Out of various methods proposed for machine translation, we are studying statistical machine translation that learns probabilistic models from parallel translation corpus that have the same content corresponding between languages. We also develop cross-language question answering that finds the answer from information sources written in other languages using machine translation.

Theme 3 Speech interface

Development of technology to have a dialog with artifacts using human spoken language. We research language models that capture the characteristics of words used for various applications such as question answering and machine translation. We are also studying para-linguistic event detection, including laughter and interest detection from speech. Recently, we are also challenging medical diagnosis code retrieval from doctor-patient conversation.

Our Research Areas



Goal

· Developing a system that automatically estimates ICD-10 codes from Doctor-Patient conversation



ICD-10 code retrieval from doctor-patient conversation

N18 9

E87.5 Hyp

Molecular Bioinformatics Laboratory

| Staff | Lecturer Hiroaki KATO (E-mail : kato@cs.tut.ac.jp) |
|----------------|---|
| Laboratory URL | http://www.mbi.cs.tut.ac.jp/ |
| Key words | Molecular structure information processing, molecular biology databases, graph theory, bioinformatics, protein motif, structure-activity relationship |

With the rapidly increasing number of proteins of which three-dimensional structures are known, the protein structure database is one of the key elements to derive the knowledge of structure-function relationships or molecular evolution in molecular biological interest. In our laboratory, the algorithms and software systems for molecular structural information processing have been developing for knowledge discovery using such database.

Theme 1 > Development of the molecular structure information processing algorithm for understanding the functional mechanisms of a biomolecule

Sequence information of nucleic acid and protein can be processed in a variety of ways using a computer by representing them as "character strings." In addition, the information of chemical formula or three-dimensional structure (shape) can be represented using a "molecular graph", i.e., a set of nodes and edges. Based on these ideas, we are developing the algorithm for knowledge discovery of structure-function relationships of biomolecules.



Molecular structure information processing (3D substructure search)

Theme 2 Construction and application of the molecular biological databases

Protein is a biopolymer that is most important in biological activities along with nucleic acid, which is known to have a close relationship between its three-dimensional structure and function. We particularly focus on the local structure features called motifs that are important for the expression of biological functions. In our laboratory, proteingene sequence motif database or three-dimensional motif dictionary are constructed. The automatic structural classification of proteins is also investigated.



Three-dimensional protein motif dictionary

Learning and Inference Systems Laboratory

| Staff | Lecturer Kazuho WATANABE (E-mail : wkazuho@cs.tut.ac.jp) |
|----------------|--|
| Laboratory URL | http://www.lisl.cs.tut.ac.jp/ |
| Key words | Bayesian inference, learning algorithm, rate-distortion theory, data visualization |


Machine learning techniques are widely used for various applications such as pattern recognition and robot control. We study fundamental theories of machine learning based on statistical and information theoretic methods, and apply them to data analysis problems.

Theme 1 > Analysis and development of statistical learning methods

Bayesian inference provides a framework for solving learning and inference problems. We aim at analyzing and devising learning and inference methods, and apply them to problems such as data analysis and visualization.

Theme 2 Lossy data compression and rate-distortion theory

The rate-distortion function shows the minimum code length required for reconstructing compressed data under allowed distortion levels. We aim at evaluating rate-distortion functions of distortion measures used in practical learning algorithms and information sources modelling real data generation processes.



Data Informatics

Computational Linguistics Laboratory

| Staff | Professor Project Associate Professor Assistant Professor | | (E-mail : isahara@tut.jp) (E-mail : kanzaki@imc.tut.ac.jp) (E-mail : ueno@tut.jp) |
|----------------|---|--|---|
| Laboratory URL | http://lang.cs.tut.ac.jp | | |
| Key words | Natural Language Processing, Machine Translation, Lexical Semantics, Creative Content | | |

Language is the core of human intellectual activities. We aim to realize computer systems that understand natural language as humans do through the investigation of linguistic functions by human. Toward this goal, we conduct the following studies.

Theme 1 > Study to realize practical use of machine translation


Machine translation is one of the applications of natural language processing technology. Although the accuracy of machine translation systems has been improving day by day, it is not yet perfect. We are studying techniques to make full use of machine translation systems in real world translation processes including translation of business documents by standardizing input sentences, automatically acquiring and using translation dictionaries and developing postediting technology. We have launched new collaborative project with IT companies and local governments in Japan, aiming to make it possible for even small businesses in tourism to dispatch their own information to attract foreigners.

Theme 2 Study to acquire linguistic knowledge from real data

Each meaning of a word should be determined by how it is used in the actual document. We are studying technology that automatically acquires the semantic relationship of words from large amounts of data such as news articles and web documents. Such information can be used to simulate human association. In addition, we are studying extracting salient words and phrases from the document. We also conduct research and development on advancing natural language processing technology using the results obtained.



Machine Translation Project



Three Dimensional Semantic Map

Theme 3 Study to generate and interpret creative contents by computer models

To compute creative contents is important in the field of artificial intelligence.

Human can understand multi-modal contents such as comics and picture books easily. However, it is difficult for computers to understand stories and emotional information. To solve this problem, we have proposed several ways for analyzing process of creation. Currently, this theme consists of three sub themes: To build an application with graphical user interface for supporting writing novels based on two types of templates, to analyze relationships between comics(MANGA) features and semantics of stories utilizing by deep convolutional neural networks, to generate manuals based on learner's activity.



Three Themes on Creative Contents

| Applied Information System Laboratory | |
|---------------------------------------|---|
| Staff | Associate Professor Masatoshi TSUCHIYA (E-mail : tsuchiya@imc.tut.ac.jp) |
| Laboratory URL | http://is.cs.tut.ac.jp/ |
| Key words | Natural Language Processing, High Performance Computing, Applied Information System |

We are interested in two research areas: natural language processing and applied information system. The first research interest is natural language processing to assist human intellectual activities and to enhance human intellectual ability. Our second research interest is how to design large-scale applied information systems such as the university educational computer system and the campus network and how to operate them. In the latter area, our advantage is that we can access the real systems and networks which are used in our university campus (the photograph of this page shows a part of the systems).

Theme 1 > Automatic summarization and organization of lecture slides and lecture speeches

There is increasing interest against e-Learning contents, in order to provide flexible supports to students who are diverse in their understanding ability. Therefore, many educational organizations work at gathering lecture slides and recording lecture speeches to construct e-Learning contents. However, such e-Learning contents have a crucial problem: if a lecture speech has neither index nor cues, its skip listening is too difficult for e-Learning users to study the lecture efficiently.

We are tackling automatic summarization and organization of lecture slides and lecture speeches, in order to resolve the above problem.

Theme 2 > Information visualization to compose multiple information sources considering user intent

The internet is a treasury of consumer generated contents, but it is quite difficult to distinguish practical, useful, accurate content among impractical, useless, inaccurate, noisy content. In order to resolve this problem, we focus into methods to improve information reliability. The first one is textual entailment, which is a task to determine whether the meaning of the hypothesis sentence can be inferred from the meaning of the premise sentence. The second one is text reuse detection, which is a task to determine whether a given text is original or not and to discover its origin when it contains reused part. The final one is visualization of relationship between texts which are collected by the above two methods.

Theme 3 ▶ Improvement of availability of large-scale applied information systems and networks

The modern society widely depends on information systems and networks which run 24/7. However, it is quite difficult to realize high-available large-scale complex information systems and networks because their complexity frequently bring oversights of their designers which cause unexpected outage. In order to resolve this problem, we are investigating a method to improve automatic monitoring of information systems and networks and to prevent outages.



The high performance computer system of TUT

Laboratory for Molecular Information Systems

| Staff | Professor Assistant Professor Yoshimasa TAKAHASHI Hesuo KATSURAGI (E-mail : taka@cs.tut.ac.jp) (E-mail : katsuragi@cs.tut.ac.jp) | |
|----------------|---|--|
| Laboratory URL | http://www.mis.cs.tut.ac.jp/ | |
| Key words | Cheminformatics, chemometrics, mathematical chemistry, molecular graph theory, multivariate data analysis, machine learning, chemical data mining | |

We work on the development of algorithms and software tools for molecular structure information processing and intelligent systems for drug design and development aiming toward the establishment of domain-specific information technology in chemistry and the related fields.


Theme 1 > Studies on algorithms for molecular information processing

"Similarity" is very important concept in solving problems in science. This is true in chemistry. Especially structural similarity provides us a lot of information on structure-activity and structure-property problems. There are two different viewpoints:

(1) What is similar among the structures?

(2) How much are they similar?

From these viewpoints, in our laboratory, the fundamental studies on new algorithms and software tools for the evaluation of structural similarity/diversity using a graph theoretical approach.



Chemical structure data mining of drug molecules

Theme 2 > Chemical artificial intelligence system based on machine learning

On the basis of a chemical structure which is drawn on the computer, structural feature of the drug molecule is analyzed automatically, and the feature profile is expressed as digital spectra by TFS (Topological Fragment Spectra) method developed by our laboratory. The correlations between the spectra and activity (or toxicity) of known chemical compounds are trained by the machine learning such as artificial neural network, and by studying the mutual relationship, the development research of the system which presumes the safety and character of the new useful chemical substance is being advanced.



Artificial intelligent system for drug design and development

Theme 3 > Others:

/Development of a sftware tool for hazard prediction of chemical substances /Studies on molecular music **Human and Brain Informatics**

| Visual Perception and Cognition Laboratory | |
|---|--|
| Staff | Professor Assistant Professor Hiroshi HIGASHI (E-mail : nakauchi@tut.jp) (E-mail : higashi@tut.jp) |
| Laboratory URL | http://www.vpac.cs.tut.ac.jp/en/ |
| Key words material perception, color vision, visual attention, face recognition, brain decodin color universal design, spectral imaging | |

We can see and recognize things, and act without feeling any difficulties. Our mission is to explore visual function and the mechanisms of the brain which allow us to do so, and to develop new technology, including color universal design, spectral imaging, for visual information processing based on the fundamental vision research.

Theme 1 Vision Science - why is it seen as it is? -


Vision is far skillful rather than we imagine. Visual perception results from "interpretations" of the retinal images. The visual system has many important features including adaptation to the visual environments, integration of various visual clues to estimate 3D information, etc. Understanding these functions may make present media technology remarkable progress. Moreover, although we are almost always subjected to a barrage of different source of visual information, our visual system does not process all the information. Rather, by so-called visual attention, the visual system selectively processes some extent of the input image. To explore the fundamental functions of the vision, we are doing psychophysical experiment, EEG measurement and analysis, and constructing mathematical models of the vision.

We are now tackling various topics as: Color vision; motioncolor interaction; surface quality perception; ERP studies on face processing, visual naturalness, awareness; brain--computer interface.


Theme 2 Vision Technology - Media technology like human vision or beyond it -

Our life has surely become convenient since image media such as a digital camera has developed and spread rapidly. It is true, however, that capability of such image media is nothing like as good as that of the human vision because it is far easy for our vision to capture image information, code the information, and recognize it. The purpose in this project is to crystallize as "technology" the knowledge acquired by the fundamental research of vision science.

We are now tackling various topics as: Color blind experience filter; visualization of invisible information using spectral imaging.



Activity of face-sensitive ERP component for natural and unnatural (bluish) face color stimuli



Visualisation of fat and fatty acid distribution in beef by near-infrared spectral imaging

Visual Psychophysics Laboratory

| Staff | Professor Michiteru KITAZAKI (E-mail : mich@cs.tut.ac.jp) | |
|----------------|---|--|
| Laboratory URL | http://real.cs.tut.ac.jp/en/index.html | |
| Key words | Psychophysics, Virtual Reality, Cognitive Neuroscience, Perception and Action, Empathy, Implicit perception, Embodied perception | |

We are exploring to understand scientifically how we perceive the world/environment and communicate with others. Embodied perception is a main perspective in our research. Our perceptual process and communication are crucially connected to our body physically and psychologically. We are investigating three research themes based on this perspective.

Theme 1 Science for Mobile Observer

To understand perception for mobile observers, we are investigating self-motion perception, 3-D objects, scene and human-body recognition across viewpoints with psychophysical experiments. To know interaction of perception and action, we are measuring motor behavior and perception during action such as walking and driving a car. Parts of driving study are cooperative studies with a motor company.



Driving simulator with optic flow

Theme 2 Science for Perceptual Reality

To explore what is realty, we are investigating material perception, perceptual aesthetics, lightness perception, self-motion perception, and human-body perception in virtual-realty environments. Crossmodal studies such as vision-vestibular interaction on postural control and face-voice interaction on emotions are included in the theme. We are developing a system to experience tele-presence of walking and a system for modifying human body experience.

Theme 3 Science for Implicit Social Cognition

We interact with others naturally, and perceive the world and others based on social communications. The crucial factor for implicit social cognition is our body. We are investigating body perception, neurophysiology of empathy, equity, and moral. We found that the preverbal infants show sympathy for others in distress and that humans can empathize with humanoid robots.



Translucent objects in different materials



Empathy with a robot

Department of Mechanic Engineering

Department of Science and

Compute

| Biological Motor Control System Laboratory | | |
|--|---|--|
| Staff | Associate Professor Nachiro FUKUMURA (E-mail : fukumura@cs.tut.ac.jp) | |
| Laboratory URL | http://www.bmcs.cs.tut.ac.jp | |
| Key words | Human voluntary movement control, sensory-motor integration, motor learning | |

Humans can perform various complex and dexterous movements. Even simple motions we do mindlessly in daily life are realized by excellent ability of information processing that extracts required information for the motions from complex external information obtained through various sensory organs, and control their limbs properly to establish the task. Our focus is on perception by the integration of sensory information (e.g. object recognition), motion (e.g. reach and grasp movement and handling of object) and learning function. We aim to elucidate those excellent information processing mechanisms for cognition and motor control of the central nervous system that achieves humans' skillful movements from the viewpoint of computational neuroscience.

Theme 1 Computational studies of the voluntary movement of the human limb

The hand and arm trajectory of various movements such as the reach and grasp movements, handwriting movements, drawing line or figure and sports movement under a various conditions is measured by a three-dimensional motion capture system, and at the same time, other biological signals such as eye movements or electromyography signals are also measured. With the measurements, we analyze the achieved motion trajectory, change in trajectory accompanied by motor learning and cognitive information. Based on the results, we work to elucidate the principles of motion planning, motor control system and learning function by developing mathematical models of the information processing of motion control using neural models that can reproduce the measured human movements with computer simulation.



Experiment of eye-hand coordination when tracing a line

Theme 2 Applied research of the model for motor control

We apply the features and measurement technology of human movement obtained by motion analysis to develop a user-friendly man-machine interface, welfare technology, and robotics. For example, we investigate the sign-language translation system using the feature of human arm movements and the back-parking assist system using the motor learning theory. These applied researches also aim to confirm the validity of the model of information processing regarding motor control or learning that we constructed.



Experiment of back-parking assist system using driving simultor

| Staff | Associate Professor Kazushi MURAKOSHI (E-mail : mura@tut.jp) | |
|---------------|---|--|
| Laboratory UR | L http://www.ci.cs.tut.ac.jp | |
| Key words | Intelligence information processing, neural network model, soft computing, sensory information processing model | |

Although humans and animals have great information processing functions, many of such features are yet to be elucidated. Thus, we are studying ways to elucidate the information processing process of those functions and consider a breakthrough based on what we learned from biological information processing when we face an obstacle or difficult problem in artificial information processing. A wide range of academic disciplines must be taken into consideration to examine the information processing mechanism of humans and animals. Therefore, we thoroughly examine physiological and psychological knowledge and proceed with our studies from a multidisciplinary view while taking an information scientific approach. The ultimate goal is to create an artifact with functions superior to that of humans and animals.

Theme 1 Intelligent information processing

We aim to realize the intelligent information processing that humans can perform well and suggest soft computing techniques of neural circuit models, flexible reinforcement learning and self-organizing maps etc.

Theme 2 Sensory information processing model

We explore the mechanism of perception information processing that humans can perform well by applying the modeled visual processing that humans can do well to image processing and modeling the visual process with consideration to the mechanism of processing illusions.



Three major approaches to research the brain.

spartment of Mechar Engineering

Department of Computer Science and Engineering

and Life Science

Human and Brain Informatics

| Visual Neuroscience Laboratory | | |
|---|--|--|
| Staff | Associate professor Kowa KOIDA (E-mail : koida@eiiris.tut.ac.jp) | |
| Laboratory URL | ory URL http://www.eiiris.tut.ac.jp/koida/ | |
| Key words Vision, electrophysiology, unit recording, animal behavior, human psychophysic electrode development, optical fiber imaging, color vision, color blindness | | |

Our research interest lies in the field of systems neuroscience, particularly in the functional relationship between visual perception and neuron activity in the cerebral cortex. The goal of our research is understanding neuronal processes that mediate color perception and object recognition. We have been conducting behavioral and physiological experiments with trained monkeys to perform cognitive tasks. Human psychophysics is also carried out to support correlative evidence between animal behavior and human perception.

Theme 1 > Understanding neural basis for visual sensation and cognition

Color is a premier model system for understanding how visual information is processed by neural circuits. Both the physical stimulus for color and the perceptual output experienced as color are quite well characterized, but the neural mechanisms that underlie the transformation from stimulus to perception are incompletely understood.

We are focusing on the inferior temporal cortex (ITC), where many neurons response to visual stimuli as highly selective and sophisticated manner. We found a patch organization of color selective cells in the ITC where clusters of neurons showed strong and fine color responses. To understand higher visual function taking place in the ITC such as effect of task demands, memory and utility, color response in the patch could become a useful target area for single unit recording and electrical microstimulation.


Human psychophysics is carried out to find out new phenomena, visual illusion and critical feature of visual stimuli. Psychophysical measurement is important to supports correlative evidence between animal behavior and human perception.

Theme 2 Establishing innovative method for neuroscience


EIIRIS have a strong advantage for the development of sensing device such as high density electrode with smart electrical circuits and optical devices. The electrode using Vapor-Liquid-Solid techniques (also known as Toyohashi-probe) is now in trial for effective physiological experiments. An optical imaging system using bundle fibers enable us to monitor functional architecture of deep brain. We debelop these techniques using animalas such as mice, rats, and monkeys.

Theme 3 Behavioral study for dichromatic macaque

Our research groug have found dichromatic macacues a deacade ago, and examined their color vision by genetics (Onishi, et al. 1999), electroretinography (Hanazawa, et al. 2000), and behavioral color discrimination perfromance (Koida, et al. 2013). Futher reseach such as physiological recording in the brain would be expected.



Neurons, spiking activities, and monkey's brain taken by MRI.



Picture of a micro-imaging probe with a high density optical fibers.



Pseudoisochromatic plates example used in the behavioral tests.

| Staff | Associate Professor Tetsuto MINAMI (E-mail : minami@tut.jp) | |
|----------------|---|--|
| Laboratory URL | https://sites.google.com/site/nantetsu/ | |
| Key words | cognitive neuroscience, psychology, EEG, BCI, pupillometry, face processing, emotion, insight | |

Our approach is to use non-invasive method for measuring brain such as EEG, to clarify our cognition and behavior and apply these results to brain-machine interface (BCI) and neuromarketing.

Theme 1 Face processing


Facial color is important information for our social communication, because it provides important clues to recognize someone's emotion and health condition. Our previous EEG study shows that face sensitive ERP component (N170) is modulated by facial color, which suggests that face color is important for face detection (Minami et al. 2011). Moreover, facial color sensitivity of N170 was found at the left occipito-temporal site (Nakajima et al. submitted). Although the EEG study suggests that N170 at the left occipito-temporal site is related to facial color processing, it has been controversial issue which brain region is involved in facial color processing, because EEG measurement has low spatial resolution. Therefore, the present study will examine the brain regions related to facial color processing by using functional magnetic resonance imaging (fMRI) with higher spatial resolution.

Theme 2 Information processing and Insight


For user-kindly information technology, information should be controlled and selected depending on our brain states. For this purpose, we must know users' understanding of information. Our previous study is to estimate whether a subject recognized an object or not through a single-trial analysis of EEG, ambiguous or clear state. Six subjects (mean age was 22 years) participated in the experiments. A pool of 120 paired pictures was used for the experimental task. One is an original color image (CI) and the other is the binarized picture (BI). A classification result revealed a good discrimination with the accuracy greater than 90% (Noritake, Minami and Nakauchi, 2009). In the next, I intend to investigate the dynamics of brainstorm: the transition process from ambiguous to clear state. In addition, we will develop applied system enabling real-time estimation of the level of understanding.

Theme 3 Neurocommunication


The affect misattribution procedure (AMP) was proposed as a technique to measure an implicit attitude to a prime image. In the AMP, neutral symbols (e.g., a Chinese pictograph, called the target) are presented, following an emotional stimulus (known as the prime). Participants often misattribute the positive or negative affect of the priming images to the targets in spite of receiving an instruction to ignore the primes. The AMP effect has been investigated using behavioral measures; however, it is difficult to identify when the AMP effect occurs in emotional processing?whether the effect may occur in the earlier attention allocation stage or in the later evaluation stage. In this study, we will examine the neural correlates of affect misattribution, using event-related potential (ERP) dividing the participants into two groups based on their tendency toward affect misattribution.



Facial color affects brain activities.



Information processing and insight



Affective processing

Interactions and Communication Design Laboratory

| Staff • Professor Michio OKADA (E-mail : okada@tut.jp) | | |
|--|--|--|
| Laboratory URL | L http://www.icd.cs.tut.ac.jp/ | |
| Key words | Social robotics, relation-oriented robot, cognitive science of communication, social interaction, learning science | |

Our focus is to expose idealistic factors for communication mechanisms in HRI. The present research attempts to disclose the relationship between body orientations, social cues, minimum protocommunication, perception, and attention shifting, combining it with developmental psychology, ecological psychology and socio-cultural approaches.

Theme 1 > Studies on social and relation-oriented robots

We promote studies of new types of robots called relation-oriented robots and social robots to explore the cognitive development process in establishing communication with others, forming social relationships and communicating with others. In addition, we are studying human-robot interaction (HRI) and human-robot symbiotic relations.

Theme 2 > Studies in cognitive science of communication

We are studying the base to establish everyday communication and proto-communication lake a caregiverinfant interaction, a social mediator that mediates the connection between people and next-generation interface design.

Theme 3 > Studies in developmental and learning science based on socio-cultural approach

We are studying mechanisms to acquire social intelligence and social skills, support for development and learning for children with communication disorders, learning environmental design based on situational learning theory and socio-cultural approaches.



ICD-lab's Social Robots

Visual Agent Laboratory

| Staff | Professor Shigeru KURIYAMA (E-mail : sk@tut.jp) | |
|----------------|---|--|
| Laboratory URL | . http://www.val.cs.tut.ac.jp | |
| Key words | Computer Graphics, Style-based image synthesis and analysis, Human motion synthesis and analysis, Smart lighting and illumination, Optical image communications | |

Our research group is developing novel visual applications based on image or graphics technologies: 1) humanoid animations and simulations based on motion capture technology, 2) style-based retrieval and conversion of illustrative images, 3) optical media controls such as smart digital lighting and illuminations, and 4) optical communications with mobile phone. These applications can explore new media environments powered by smart visual agents.

Theme 1 Humanoid animations based on motion data learning Classification, recognition, and conversion of human motion data has

a big potential for developing digital human technologies in various fields: gestural or behavioral recognitions, simulations for physical trainings, and humanoid animations for video games and VR systems. This project introduces advanced numerical optimizations or machine learning to motion capture data for analyzing intrinsic features of human motions.



Geo-statistical motion interpolations.

Theme 2 Style-based image classification and synthesis

This project intensively investigates the retrieval, classification, and ranking methodologies based on the drawing styles of illustrative images. Style feature learning is developed using advanced pattern recognition and classification techniques, which enable the intuitive and effective conversions or transformations of drawing styles such as lines, textures, and colors. This allows aesthetic manipulation of illustrations and fonts, through the visual pattern recognition of artistic styles.



Style-based low-dimensional embedding of clip-arts.

Theme 3 > Optical image synthesis and communications

Smart illumination technology is developed for automatically synthesizing aesthetic optical patterns from digital images or simple rules. Optimized sparse sampling of colors and shapes are developed using statistical algorithms or machine learning. This project also tackles the image-based controls of mobile lighting robot and other methodologies related to the smart visualization of color lighting, including data communication systems with colored LEDs.



Smart illumination system.

| Active Intelligent Systems Laborator | ry |
|--------------------------------------|----|
|--------------------------------------|----|

| Staff | Professor Assistant Professor Jun MIURA (Email: jun.miura@tut.jp) Assistant Professor Shuji OISHI (Email: oishi@cs.tut.ac.jp) | |
|----------------|---|--|
| Laboratory URL | http://www.aisl.cs.tut.ac.jp/ | |
| Key words | Intelligent robot, mobile robot, service robot, autonomous driving, robot vision, action and motion planning, robot teaching, human-robot interaction | |

We aim to develop intelligent systems, such as intelligent robots, that can operate autonomously and intelligently in complex real environments. A key to realize such systems is advanced information processing or AI, including scene recognition and context-aware action planning.

Theme 1 > Attendant robot/Service robot


Autonomous services robots are expected to support our daily life in various scenes. Such a robot has to have robust scene recognition, people detection/tracking/identification, and versatile action planning capabilities for realizing user-specific services such as attending, guiding, and errand.

Theme 2 > Outdoor navigation/Autonomous driving

We have been developing methods for outdoor navigation such as multi-sensory road boundary tracking and view-based localization. We have also been developing 3D mapping and localization methods in wide outdoor environments.

Theme 3 Vision-based manipulation/Human-robot interaction

We have been conducting research on humanoid robots with object recognition and handling capabilities, human-robot collaborative assembly, collaborative remote object search, interactive robot teaching, and related interface technologies.



Computer Vision and Image Processing Laboratory

| Staff | Associate Professor Yasushi KANAZAWA (E-mail : kanazawa@cs.tut.ac.jp) | |
|----------------|--|--|
| Laboratory URL | http://www.img.cs.tut.ac.jp/ | |
| Key words | computer vision, image processing, 3-D reconstruction, image matching, vulnerable road users | |

The aim of computer vision is to realize the functions of human vision on a computer and its applications are widely used for various fields: 3-D measurement, surveillance system, robot vision, medical image processing, and so on. In this laboratory, we focus on 3-D reconstruction from images and matching between images. We also study image processing for colorblind persons and a safety system for vulnerable road users like children and elderly persons using image processing.

Theme 1 Accurate image matching

Image matching is the first step for many computer vision applications like 3-D reconstruction and object recognition. The accuracy affects to that of reconstructed 3-D shape. We are studying robust and accurate image matching methods for various scenes.


Theme 2 > 3-D reconstruction from images under special environments

Endoscope image sequence is one of difficult case for accurate 3-D reconstruction because of the special motion of the camera. Drone images of the sands or beach is also difficult to obtain accurate 3-D shape because the target is almost planar and its texture is almost the same. We are conducting the research of accurate 3-D reconstruction under such special environments.

Theme 3 Image enhancement for colorblind person

Colorblind person feels inconvenience in daily life because the color design of almost things is not adequate for them, e.g., traffic signs/signals, road/ floor maps, even web pages. We have proposed image enhancing method by additive image noise for them. By our method, not only colorblind person can distinguish their indistinguishable colors but also normal person can recognize the original colors. We are conducting the improvement of our method.





Reconstructed 3-0 shape

3-D reconstruction of sands



Original image and simulated image of dichromats



Enhanced image with noise.

Image enhancement for colorblind person

Media Informatics and Robotics

Image Information and Image Media Laboratory

| Staff | Associate Professor Yasuyuki SUGAYA | (E-mail:sugaya@iim.cs.tut.ac.jp) |
|----------------|--|----------------------------------|
| Laboratory URL | http://www.iim.cs.tut.ac.jp | |
| Key words | Key words Computer vision, 3-D shape reconstruction, mixed reality system, ellipse detection | |

We are studying geometric problems of computer vision including 3-D reconstruction, ellipse fitting, ellipse detection, and mixed reality system.

Theme 1 Mixed reality system using circular marker

We are studying ellipse detection from images and use this technique for detecting a circular marker of a mixed reality system. The advantage of using a circular marker is that we can estimate a camera position and pose from this marker if it is hidden by other objects.

Theme 2 Developing diminished reality system

We are developing a diminished reality system using circular markers and a 3-D shape of a background scene obtained from a RGB-D sensor like the Kinect. We are now focusing an alignment between the overlaid background and a captured image from a user camera.

Theme 3 Ellipse fitting and ellipse detection

We are studying a high-accuracy ellipse fitting technique and ellipse detection from images for applying mixed reality system and camera calibration.



Diminished reality. Left top: input image, left bottom: reconstructed background, right: output image.



Autonomous robot navigation system using ellipse detection.

Spoken Language and Sound Signal Processing Laboratory

| Staff | Associate Professor Kazumasa YAMAMOTO (E-mail : kyama@tut.jp) | |
|----------------|--|--|
| Laboratory URL | http://www.slp.cs.tut.ac.jp/ Spoken language processing, sound signal processing, human interface | |
| Key words | | |

We are studying and developing a variety of spoken language information processing technologies centering on automatic speech recognition and sound signal processing technology including music information processing, which are expected to be an interface that anyone can conveniently use any time.

Theme 1 Automatic speech recognition, spoken document processing, spoken dialogue system

Automatic speech recognition technology which is the center of the voice interface has gradually become popular among the general public to use, but has not guite yet been made available "anytime, anywhere, to everyone" freely because of issues including environmental noise, speaker characteristics, and transmission characteristics. In order to avoid their influences, we focus on improving the accuracy of automatic speech recognition and speaker recognition technologies as the core technologies for the voice interface. At the same time, we research and develop technology for spoken document processing to search spoken words or sound events from the audio track and to enable a guick review of a lecture such as speech document summarization technologies etc. We also study exchanging information with a computer by speech dialogue and having a fun conversation with a computer.

Theme 2 Study on sound signal processing

We learned that if there is a distance between the speaker and the microphone when using automatic speech recognition, the accuracy of recognition greatly deteriorates due to noise or reverberation. To tackle the issues, we are studying technology to exclusively suppress noise from the signal with speech and noise mixed as well as technology that does the opposite of extracting only the background sound information. In addition, we try to construct an automatic speech recognition system for a singing voice and research and develop the technology to separate the voice singing from the instruments playing.



Multi-Agent Spoken Chat-Like Dialogue System



Lecture Browsing System (Automatic Speech Recognition, Summarization, Indexing)



English Listening and Pronunciation Training System

spartment of Mechan Engineering

epartment of Computer tience and Engineering

Media Informatics and Robotics

Ubiquitous Computing Systems Laboratory

| Staff | Lecturer Ren OHMURA (E-mail : ren@tut.jp) | |
|----------------|--|--|
| Laboratory URL | http://www.usl.cs.tut.ac.jp | |
| Key words | Ubiquitous Computing, Wearable Computing, Sensor-Actuator Network, Context-aware Systems, Activity Recognition, Smart Devices, IoT, Computer Network, Distributed Systems, Operating Systems | |

Our laboratory aims to a system that support our daily life using ubiquitous technologies. We study several techniques in wide range from devices to AI technologies, such as embedded systems, wearable computers, sensor networks, computer networks, distributed systems, system software, pattern recognition, visualization and so on.

Theme 1 > Body (Wearable) Scale System

In recent days, wearable devices, such as a smart watch and a head mounted display, are getting common. Connecting these devices as a "body-area network", we study techniques to automatically understand what a user is doing now, so-called "activity recognition". Also, using the recognition results, we also develop systems to support human activities, such as training of certain action form, error detection of tasks. Figure 1 shows the example of cardio pulmonary resuscitation (CPR) support system using wristworn sensors that gives instruction of correct CPR on the site of emergency rescue.

Theme 2 House and Office Scales Systems

Now, appliances in a house and office, such as a TV, air conditioner, and a cleaning robot, have functions of information processing. Activity and situation recognition techniques described above can be extended to these environment, and we develop a system that support our daily life at our house and working environment, such as a system supporting efficient and safe medical care in hospitals. Figure 2 shows a research project using Terapio, a robot supporting medical rounding in a hospital, collaborating with Human-Robot Symbiosis Research Center at TUT. Also, we are developing an application execution and development environment of home network that enables ordinal people to build a program easily, by personifying appliances and integrating between-human and betweendevice communication. Moreover, we also develop novel sensor devices which works efficiently with energy-harvesting and wireless power transmission techniques.

Theme 3 Virban Scale Systems

Mobile phones and wearable computers accomplish the support of our activity even outside environment. In other words, these devices can contribute to design our city in the aspect of information, and our laboratory aims to a "smart city" where citizens can spend their happy, enjoyable, and safe life. One example of the systems we are developing is the one supporting emergency rescue enabling efficient information exchange among concerning organizations, such as fire department, ambulance, and hospitals. Also, Figure 3 shows another example, a navigation system of a city and theme park that reflects users' impression by detecting their emotion with wearable devices automatically.



Figure 1. CPR support system with wristworn (wearable) sensors



Figure 2. Terapio, a robot supporting medical rounding in a hospital



Figure 3. A map with users' impressive location detected by wearable sensors